

Author Index of Volume A43

- Aboulhoda, S., 135
 Angelidis, D.T., 85
 Aratani, K., 17
- Bäcklund, Y., 55
 Bao, M., 115
 Bataillard, P., 24
 Bexell, M., 322
 Björkengren, U., 311
 Blanc, N., 339
 Bogdanski, M., 11
 Bonvalot, B., 85
 Brugger, J., 269, 339, 346
 Burrer, C., 115
 Buser, R.A., 317
- Cabuz, C., 92
 Cabuz, E., 92
 Cammann, K., 296
 Camp, W.O., 188
 Cardot, F., 11
 Chan, M.A., 196
 Choi, S., 289
 Collins, R.E., 170
 Collins, S.D., 196, 202
 Contreras, S., 135
- Daimon, N., 145
 de Rooij, N.F., 269, 335, 339, 346, 351, 371
 Dommann, A., 317
 Drewer, H., 296
 Dudaicevs, H., 157
- Elders, J., 230
 Elwenspoek, M., 230
 Esashi, M., 92, 243, 249
 Esteve, J., 115
- French, P.J., 17
 Fujikake Funada, M., 145
 Fukatsu, K., 92
- Gabrielson, T.B., 107
 Garabedian, R., 202
 Gardner, J.W., 24
 Gass, V., 335
 Gerlach, G., 181
 Gobet, J., 11
 Gonzalez, C., 202
 Grétilat, M.-A., 351
- Haueis, R., 38
 Hein, H., 330
 Henmi, H., 243
- Hirabayashi, Y., 164
 Hök, B., 55
 Huijsing, J.H., 276
- Ide, H., 145
 Idogawa, K., 145
 Ikeda, H., 141
 Ikemachi, T., 217
 Indermuehle, P.-F., 346
 Ishida, M., 59
 Itoh, T., 305
- Jaecklin, V.P., 269, 346
 Jeanneret, S., 335
 Johansson, S., 322
 Jorgenson, R.C., 44
- Kaiser, W.J., 107
 Kakerow, R., 296
 Kamino, M., 217
 Kamo, N., 141
 Kandler, M., 157
 Karasawa, S., 164
 Kawahito, S., 59, 128
 Kenny, T.W., 107
 Kitajima, H., 141
 Knoesen, A., 202
 Kobayashi, K., 164
 Kobbi, F., 135
 Kordas, N., 31
 Kovacs, G., 38
 Kozlowski, F., 153
 Krause, J., 296
 Krötz, G., 259
 Kuriyama, T., 120
 Kurosawa, S., 141
 Kwon, K., 49
- Lang, W., 153, 185, 239
 Lappalainen, J., 357
 Largeau, D., 85
 Lee, Y.-T., 59
 Legtenberg, R., 230
 Leppävuori, S., 357
 Linder, C., 269, 346, 351
 Lorenzini, Ph., 135
 Lubking, G.W., 38, 175
- Maenaka, K., 72
 Manoli, Y., 31, 157, 296
 Maruszyk, K., 239
 Menz, W., 330
 Meyer, H., 296
 Middelhoek, S., 17
 Minami, K., 92
- Misawa, S., 164
 Miura, H., 366
 Moilanen, H., 357
 Mokwa, W., 31, 157, 296
 Moret, J.-M., 269
 Mori, Y., 141
 Mosser, V., 135
 Müller, G., 259
 Muratsugu, M., 141
- Nakamura, T., 59, 128, 289
 Nakano, S., 217
 Nathan, A., 3
 Nemoto, E., 141
 Niemann, E., 259
 Niki, K., 217
 Ninomija, S.P., 145
 Nishimoto, T., 249
 Noda, S., 78
- Pailthorpe, B.A., 170
 Paratte, L., 371
 Park, J., 289
 Park, S., 49
 Parsons, P., 85
 Plaza, J.A., 115
 Poenar, D., 17
- Rangsten, P., 55
 Renaud, Ph., 339
 Reynolds, J.K., 107
 Richards, J., 202
 Richter, A., 185, 239
 Riedijk, F.R., 276
 Robert, J.L., 135
 Rockstad, H.K., 107
 Rosengren, L., 55
 Rospert, M., 31, 296
 Rudolf, F., 11
 Ruiz, O., 115
- Sager, K., 181
 Sakata, K., 213
 Samitier, J., 115
 Sandmaier, H., 153, 239
 Sarro, P.M., 17, 24, 100, 175
 Sasaki, A., 78
 Sasaki, Y., 128
 Sato, H., 128
 Schaber, U., 185
 Schweitz, J.-Å., 322
 Seibert, K., 85
 Selén, G., 55
 Seo, H., 59, 289
- Shibata, K., 78
 Shimaoka, K., 217
 Shimoyama, I., 366
 Shiozawa, T., 72
 Shoji, S., 92, 243, 249
 Shoji, Y., 243
 Smith, L., 311
 Smith, R.L., 196, 202
 Söderbärg, A., 311
 Söderkvist, J., 65, 322
 Spencer, R., 202
 Spiegel, E., 157
 Steiner, P., 153, 185, 239
 Suga, T., 305
 Sugizaki, G., 213
 Sun, H.-T., 208
 Suzuki, K., 254
 Svedbergh, B., 55
 Swart, N.R., 3
- Tadokoro, Y., 128
 Takenaka, T., 213
 Tiensuu, A.-L., 322
 Tilmans, H.A.C., 230
 Toda, K., 213
- van der Horn, G., 276
 van der Schoot, B.H., 335
 Van der Spiegel, J., 188
 van Herwaarden, A.W., 24
 van Kampen, R.P., 100
 Vellekoop, M.J., 38, 100, 175
 Venema, A., 38, 175
 Vollmer, J., 330
 Vuilleumier, R., 269
- Walter, F., 330
 Weimann, G., 239
 Wise, K.D., 223
 Wiszniewski, W.R., 170
 Wlodarski, W., 208
 Wolffenbuttel, R.F., 17, 100, 223
- Yamada, K., 120
 Yano, F., 145
 Yao, X., 208
 Yasuda, T., 366
 Yazu, Y., 145
 Yee, S.S., 44
 Yoshida, S., 164
 Yoshimi, K., 243
 Yoshimoto, M., 141
 Yoshisato, Y., 217
- Zekentes, K., 135
 Zhang, L.-Y., 208

Subject Index of Volume A43

- Accelerometer**
 application of electrostatic feedback to critical damping of an integrated silicon capacitive accelerometer, 100
 a miniature high-sensitivity broad-band accelerometer based on electron tunneling transducers, 107
 fabrication and characterization of a twin-mass accelerometer, 115
 a novel degree of freedom separation technique in a multi-axis accelerometer, 120
- Actomyosin**
 detection of actomyosin depolymerization by piezoelectric quartz crystal: possibility for development of a meat-freshness sensor, 141
- Actuation**
 microrobot actuated by a vibration energy field, 366
- Adhesion mechanisms**
 stiction of surface micromachined structures after rinsing and drying: model and investigation of adhesion mechanisms, 230
- Aging**
 accurate microscopic method to investigate the aging of micromachined silicon actuators, 317
- Aluminum**
 high sensitivity Hall sensors with low thermal drift using AlGaAs/InGaAs/GaAs heterostructures, 135
 mechanical and optical properties of surface micromachined torsional mirrors in silicon, polysilicon and aluminum, 269
- Aluminum oxide**
 high temperature pressure sensor using double SOI structures with two Al₂O₃ films, 59
- Artificial heart**
 an optical sensor for the non-invasive measurement of the blood oxygen saturation of an artificial heart according to the variation of hematocrit, 49
- Barium**
 enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217
- Biochemical measurements**
 liquid and gas micro-calorimeters for (bio)chemical measurements, 24
- Biochemical sensing**
 a Love wave sensor for (bio)chemical sensing in liquids, 38
- Biological signals**
 fabrication of CMOS IC for telemetering biological signals from multiple subjects, 289
- Bismuth**
 enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217
- Bistable fluidic elements**
 bistable fluidic elements in LIGA technique for flow control in fluidic microactuators, 330
- Blood oxygen**
 an optical sensor for the non-invasive measurement of the blood oxygen saturation of an artificial heart according to the variation of hematocrit, 49
- Bolometer**
 a thin film bolometer using porous silicon technology, 185
- CMOS**
 a CMOS-compatible monolithic conductivity sensor with integrated electrodes, 31
 surface micromachined pressure sensors with integrated CMOS read-out electronics, 157
- CMOS IC**
 fabrication of CMOS IC for telemetering biological signals from multiple subjects, 289
- Colour printing**
 continuous ink-jet print head utilizing silicon micromachined nozzles, 311
- Composite superconductor**
 enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217
- Conductivity sensor**
 a CMOS-compatible monolithic conductivity sensor with integrated electrodes, 31
- Copper**
 enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217
- Damping**
 application of electrostatic feedback to critical damping of an integrated silicon capacitive accelerometer, 100
- Design optimization**
 design optimisation of integrated microhotplates, 3
- Dielectric properties**
 AT-cut quartz resonators for determination of viscoelastic and dielectric properties of water/glycerol, 208
- Dozing off state**
 on a sensor to detect the point just before the dozing off state is reached, 145
- Electrodeposition**
 electrodeposited electrostatic rigid-rotor wobble motors on silicon, 371
- Electron tunneling transducers**
 a miniature high-sensitivity broad-band accelerometer based on electron tunneling transducers, 107
- Electrostatic feedback**
 application of electrostatic feedback to critical damping of an integrated silicon capacitive accelerometer, 100
- Fiber-optic interferometric readout**
 a micromachined pressure sensor with fiber-optic interferometric readout, 196
- Fiber optic sensor**
 control of the dynamic range and sensitivity of a surface plasmon resonance based fiber optic sensor, 44
- Fine pattern processing**
 study on fine patterning processes with a thick resist, 254
- Fluidic microactuators**
 bistable fluidic elements in LIGA technique for flow control in fluidic microactuators, 330
- Fluxgate magnetic sensor**
 a fluxgate magnetic sensor with micro-solenoids and electroplated permalloy cores, 128

- Gallium
 - high sensitivity Hall sensors with low thermal drift using AlGaAs/InGaAs/GaAs heterostructures, 135
- Glass-silicon anodic bonding
 - vacuum packaging for microsensors by glass-silicon anodic bonding, 243
- Gold
 - low-temperature silicon wafer-to-wafer bonding using gold at eutectic temperature, 223
- Gyroscopes
 - micromachined gyroscopes, 65
- Hall sensors
 - high sensitivity Hall sensors with low thermal drift using AlGaAs/InGaAs/GaAs heterostructures, 135
- Hematocrit
 - an optical sensor for the non-invasive measurement of the blood oxygen saturation of an artificial heart according to the variation of hematocrit, 49
- High-temperature electronics
 - SiC for sensors and high-temperature electronics, 259
- Humidity sensor
 - a piezoresistive humidity sensor, 181
- Inchworm prototype motor
 - characterization of an inchworm prototype motor, 322
- Indium
 - high sensitivity Hall sensors with low thermal drift using AlGaAs/InGaAs/GaAs heterostructures, 135
- Infrared sensor
 - fabrication and packaging of a resonant infrared sensor integrated in silicon, 92
- Ink-jet print head
 - continuous ink-jet print head utilizing silicon micro-machined nozzles, 311
- Integrated sensor/actuator
 - microlever with combined integrated sensor/actuator functions for scanning force microscopy, 339
- Integrated shielding
 - integrated shielding lines on multilayer polysilicon resonators, 351
- Integrated smart sensor
 - developments in integrated smart sensors, 276
- Interferometer array
 - surface micromachined tuneable interferometer array, 17
- Ion implantation
 - buried piezoresistive sensors by means of MeV ion implantation, 249
- Lamb wave sensor
 - evaluation of liquid properties using a silicon Lamb wave sensor, 175
- LIGA technique
 - bistable fluidic elements in LIGA technique for flow control in fluidic microactuators, 330
- Light-emitting diodes
 - light-emitting diodes in porous silicon, 153
- Light modulator
 - mechanical light modulator fabricated on a silicon chip using SIMOX technology, 170
- Light-to-light transducer
 - light-to-light transducer with detection of brightness difference, 78
- Liquid properties
 - evaluation of liquid properties using a silicon Lamb wave sensor, 175
- Love wave sensor
 - a Love wave sensor for (bio)chemical sensing in liquids, 38
- Magnetic sensor
 - a fluxgate magnetic sensor with micro-solenoids and electroplated permalloy cores, 128
- Magnetic transducer
 - fabrication of a magnetic transducer composed of a high-density array of microelectromagnets with on-chip electronics, 11
- Meat-freshness sensor
 - detection of actomyosin depolymerization by piezoelectric quartz crystal: possibility for development of a meat-freshness sensor, 141
- Mechanical properties
 - mechanical and optical properties of surface micro-machined torsional mirrors in silicon, polysilicon and aluminum, 269
- Microactuator
 - design and fabrication of an overhanging *xy*-microactuator with integrated tip for scanning surface profiling, 346
- Micro-calorimeters
 - liquid and gas micro-calorimeters for (bio)chemical measurements, 24
- Microelectrodes
 - a monolithic sensor array of individually addressable microelectrodes, 296
- Microelectromagnets
 - fabrication of a magnetic transducer composed of a high-density array of microelectromagnets with on-chip electronics, 11
- Microhotplates
 - design optimisation of integrated microhotplates, 3
- Microlever
 - microlever with combined integrated sensor/actuator functions for scanning force microscopy, 339
- Micromachining
 - continuous ink-jet print head utilizing silicon micro-machined nozzles, 311
 - accurate microscopic method to investigate the aging of micromachined silicon actuators, 317
- Micropump
 - integrated flow-regulated silicon micropump, 335
- Microrobots
 - microrobot actuated by a vibration energy field, 366
- Microsensors
 - vacuum packaging for microsensors by glass-silicon anodic bonding, 243
- Micro-solenoids
 - a fluxgate magnetic sensor with micro-solenoids and electroplated permalloy cores, 128
- Microwaves
 - enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217
- Monolithic sensor array
 - a monolithic sensor array of individually addressable microelectrodes, 296
- Multi-axis accelerometer
 - a novel degree of freedom separation technique in a multi-axis accelerometer, 120
- Optical properties
 - mechanical and optical properties of surface micro-machined torsional mirrors in silicon, polysilicon and aluminum, 269

- Optical sensor
 - an optical sensor for the non-invasive measurement of the blood oxygen saturation of an artificial heart according to the variation of hematocrit, 49
 - a silicon VLSI optical sensor for pattern recognition, 188
- Optical system
 - optical system for pressure and temperature sensing, 85
- Packaging
 - fabrication and packaging of a resonant infrared sensor integrated in silicon, 92
- Passive implantable pressure sensor
 - a system for passive implantable pressure sensors, 55
- Pattern recognition
 - a silicon VLSI optical sensor for pattern recognition, 188
- Permalloy cores
 - a fluxgate magnetic sensor with micro-solenoids and electroplated permalloy cores, 128
- Photodiode
 - spectral response of a photodiode using 3C-SiC single crystalline film, 164
- Piezoelectric bimorphs
 - characterization of an inchworm prototype motor, 322
- Piezoelectric force sensor
 - piezoelectric force sensor for scanning force microscopy, 305
- Piezoelectric micromovement actuator
 - development of piezoelectric micromovement actuator fabrication using a thick-film double-paste printing method, 357
- Piezoresistive humidity sensor
 - a piezoresistive humidity sensor, 181
- Piezoresistive sensors
 - buried piezoresistive sensors by means of MeV ion implantation, 249
- Polysilicon resonators
 - integrated shielding lines on multilayer polysilicon resonators, 351
- Porous silicon
 - light-emitting diodes in porous silicon, 153
- Pressure sensing
 - optical system for pressure and temperature sensing, 85
- Pressure sensors
 - a system for passive implantable pressure sensors, 55
 - high temperature pressure sensor using double SOI structures with two Al_2O_3 films, 59
 - surface micromachined pressure sensors with integrated CMOS read-out electronics, 157
 - a micromachined pressure sensor with fiber-optic interferometric readout, 196
- Quartz resonators
 - AT-cut quartz resonators for determination of viscoelastic and dielectric properties of water/glycerol, 208
- Rate sensors
 - a study of silicon angular rate sensors using anisotropic etching technology, 72
- Resonant infrared sensor
 - fabrication and packaging of a resonant infrared sensor integrated in silicon, 92
- Sacrificial layer
 - application of porous silicon as a sacrificial layer, 239
- Scanning force microscopy
 - piezoelectric force sensor for scanning force microscopy, 305
 - microlever with combined integrated sensor/actuator functions for scanning force microscopy, 339
- Scanning surface profiling
 - design and fabrication of an overhanging xy-microactuator with integrated tip for scanning surface profiling, 346
- Silicon
 - a study of silicon angular rate sensors using anisotropic etching technology, 72
 - fabrication and packaging of a resonant infrared sensor integrated in silicon, 92
 - application of electrostatic feedback to critical damping of an integrated silicon capacitive accelerometer, 100
 - spectral response of a photodiode using 3C-SiC single crystalline film, 164
 - mechanical light modulator fabricated on a silicon chip using SIMOX technology, 170
 - evaluation of liquid properties using a silicon Lamb wave sensor, 175
 - a silicon VLSI optical sensor for pattern recognition, 188
 - low-temperature silicon wafer-to-wafer bonding using gold at eutectic temperature, 223
 - application of porous silicon as a sacrificial layer, 239
 - vacuum packaging for microsensors by glass-silicon anodic bonding, 243
 - SiC for sensors and high-temperature electronics, 259
 - mechanical and optical properties of surface micromachined torsional mirrors in silicon, polysilicon and aluminum, 269
 - continuous ink-jet print head utilizing silicon micromachined nozzles, 311
 - integrated flow-regulated silicon micropump, 335
 - electrodeposited electrostatic rigid-rotor wobble motors on silicon, 371
- Silicon actuators
 - accurate microscopic method to investigate the aging of micromachined silicon actuators, 317
- Silicon-on-insulator structures
 - high temperature pressure sensor using double SOI structures with two Al_2O_3 films, 59
- Silicon technology
 - a thin film bolometer using porous silicon technology, 185
- SIMOX technology
 - mechanical light modulator fabricated on a silicon chip using SIMOX technology, 170
- Smart sensors
 - developments in integrated smart sensors, 276
- Spectral response
 - spectral response of a photodiode using 3C-SiC single crystalline film, 164
- Stiction
 - stiction of surface micromachined structures after rinsing and drying: model and investigation of adhesion mechanisms, 230
- Strain measuring
 - a technique for measuring strain in layered structure media, 213
- Surface micromachined structures
 - stiction of surface micromachined structures after rinsing and drying: model and investigation of adhesion mechanisms, 230
- Surface micromachining
 - surface micromachined tuneable interferometer array, 17

Surface plasmon resonance

- control of the dynamic range and sensitivity of a surface plasmon resonance based fiber optic sensor, 44

Surface plasmon sensing system

- microfabricated surface plasmon sensing system, 202

Temperature sensing

- optical system for pressure and temperature sensing, 85

Thick-film hybrid technology

- development of piezoelectric micromovement actuator fabrication using a thick-film double-paste printing method, 357

Torsional mirrors

- mechanical and optical properties of surface micro-machined torsional mirrors in silicon, polysilicon and aluminum, 269

Twin-mass accelerometer

- fabrication and characterization of a twin-mass accelerometer, 115

Vacuum packaging

- vacuum packaging for microsensors by glass-silicon anodic bonding, 243

Vibration energy field

- microrobot actuated by a vibration energy field, 366

Viscoelastic properties

- AT-cut quartz resonators for determination of viscoelastic and dielectric properties of water/glycerol, 208

Wafer-to-wafer bonding

- low-temperature silicon wafer-to-wafer bonding using gold at eutectic temperature, 223

Water/glycerol mixtures

- AT-cut quartz resonators for determination of viscoelastic and dielectric properties of water/glycerol, 208

Wobble motors

- electrodeposited electrostatic rigid-rotor wobble motors on silicon, 371

Yttrium

- enhanced mode detection for microwaves using a high-impedance YBCO-BiO composite superconductor, 217

